

2015 Citation X+ N520CX S/N 750-0520

Specifications & Summary











# **HIGHLIGHTS:**

- Like New Aircraft, Under Warranty, Less than New Pricing
- ➤ Garmin G5000 Avionics Suite
- ➤ 1 Corporate US Owner Since New, TX-based
- ➤ Very Low Time of 658 Hours
- ➤ Gogo ATG-4000 High Speed Internet (Contiguous United States)
- ➤ Aviator 300 Internet (for Worldwide Coverage)
- ➤ Engines Enrolled on Rolls-Royce Corporate Care
- ➤ APU Enrolled on AuxAdvantage
- ➤ ADS-B Out
- ➤ WAAS with LNAV/VNAV and LPV Approach
- ➤ Flight Data Recorder
- Max Mach Number of 0.935 Mach

# **PERFORMANCE:**

- Climb Performance 22 minutes to 45,000 feet (Maximum Takeoff Weight, Sea Level, ISA)
- ➤ Maximum Altitude 51,000 Feet
- ➤ Max Cruise Speed (+/-3%) 528 KTAS at FL350
- > NBAA IFR Range (200 nm alternate) (+/-4%) 3,240 Nautical Miles
- ➤ Mach(MO) (@ 30,650 ft. to 51,000 ft.) 0.935 Mach
- ➤ Max Differential Pressure 9.3 psi



## **AIRFRAME DETAILS:**

Total Hours: 658.7

Total Landings: 433

### **ENGINE DETAILS:**

# Engines enrolled on Rolls Royce Corporate Care

Engine Model: Rolls Royce Rolls-Royce AE3007C2 with Dual Channel FADEC and compatible

Auto throttle System

Engine 1 Serial Number: 330671

Engine 2 Serial Number: 330666

Time Since New: 658.7

Engine Cycles: 420

### **APU DETAILS:**

# Enrolled on AuxAdvantage

APU Model: Honeywell 36-150

Total Hours: 261 Hours

Total Cycles: 491 Cycles

### **AIRCRAFT WEIGHTS:**

Max Weight (Ramp): 36,900 lbs.

Max Take Off Weight: 36,600 lbs.

Max Landing Weight: 32,000 lbs.

Max Zero Fuel Weight: 24,978 lbs.

Basic Operating: 21,713 lbs.

Usable Fuel Capacity: 6.70 lb./gal totaling 12,931 lbs.

### **OEM LIMITED WARRANTIES:**

Aircraft Components Mfg. by Cessna – Expires Earlier of September 2020 or 5,000 Hours

Garmin Avionics – Expires Earlier of September 2020 or 5,000 Hours

Vendor Items – Expires Earlier of September 2020 or 3,000 Hours

Interior Furnishings and Paint – Expired

Rolls-Royce Engine Warranty – 2,500 hours or 60 Months from aircraft delivery, whichever occurs first

Honeywell APU Warranty – 2,000 Hours or 5 Years from date of shipment, whichever occurs first

Limited Warranty is Automatically Transferred to Subsequent purchasers of the aircraft



#### **AVIONICS:**

Garmin G5000 system includes an integrated Flight Director/Autopilot and Electronic Flight Instrument System (EFIS) utilizing three fourteen-inch (diagonal) high-resolution LCD's in widescreen, landscape orientation.

Garmin Synthetic Vision Technology

3-Axis Autopilot w/ Emergency Descent Mode

**Dual Flight Directors** 

Dual Inertial Navigation Systems (INS)

WAAS

Dual DME

Dual FMS

Required Navigation Performance (RNP) 0.3 approaches with radius-to-fix (RF) legs

LNAV/VNAV and Localizer Performance with Vertical Guidance (LPV) approaches

Garmin GWX 70 Weather Radar

TCAS – Garmin GTS 8000 TCAS II with Change 7.1

TAWS - Class A

XPDR – Dual Enhanced Mode S with antenna diversity, ADS-B Out Capability (FAA TSO-166B)

ACARS (VHF VDL Mode 2)

Link 2000+

Electronic Standby Flight Display (ESFD)

Radio Altimeter

**CVR** 

HF - Single HF Radio w/ SELCAL

Provisions for Second HF Radio





# **OPTIONAL EQUIPMENT:**

Automatic Direction Finder (ADF)

XM Weather

Flight Data Recorder ICAO Type 1A

Quick Access Recorder

Iridium Voice/Data

EASA Baggage Door Configuration

Aircell ATG4000 High Speed Internet (Contiguous United States Only)

Aviator 300 System Internet (Worldwide Coverage)






### **EXTERIOR:**

## Factory original in 2015, like new condition

Overall Snow White with Raspberry and Slate Gray stripes



### **INTERIOR:**

# Factory original in 2015, like new condition

Double Club Configuration. Seating for 8 passengers

Right-Hand Forward Refreshment Center

Iridium Aircell Axxess II Phone System

Media Share Port

Five Individual Universal 110 VAC outlets

Aft belted lavatory with externally serviceable flushing toilet

Vanity sink with running temperature-controlled water

**Cabin Interior Dimensions:** 

Height (Maximum over Aisle) - 5'8"

Width (max) -5'6"

Length (forward pressure bulkhead to mid pressure bulkhead) – 30 ft. 8 in



#### DISCLAIMER

These specifications have been prepared by Dallas Jet International and are intended as a general guide to the aircraft. Dallas Jet International cannot, however, be liable for any inaccuracy. It is up to the purchaser to confirm details of concern by survey, inspection and/or inquiry of the seller and to ensure that the purchase contract properly reflects client's concern and specific details upon which they may rely. Dallas Jet International always advises an independent survey to be performed on behalf of the Purchaser.





















# The Global Expert in Turbulence-Free Transactions

Dallas Jet International makes the complicated simple with proven excellence in aircraft sales, and acquisitions and its technical expertise. It is this thorough knowledge of technology, aircraft, valuation and detailed processes that awarded DJI the praise of clients and global industry respect.

DJI's focus is to guide its clients to a successful experience in aircraft with expertise and integrity. Their team represents pilots who understand these magnificent machines and a supportive staff of finely cultivated individuals who grasp every aspect of the aircraft industry. This gives you a powerhouse representation that researches the best possible outcome in every scenario.

Discover a company that uses its depth of experience for it's clients' advantage. Yes. This is your time to soar without constraints. DJI allows you to reach unreachable heights with a global expert.

. . . Where expertise and integrity take flight.

### **Dallas Office**

100 Crescent Court, Suite 700 Dallas, Texas 75201 214-766-3915

# **Colleyville Office**

97 Village Lane, Suite 200 Colleyville, Texas 76034 817-520-4009

info@dallasjet.com www.dallasjet.com















