



PILATUS PC-12 NG
SN 1669 LN-FOX

Specifications

As of January 2022



Click for Video

2016 Year of Make
838 Total time
655 Landings

Highlights

Very Low Time
5 Blade Hartzell Propeller
Synthetic vision, WAAS/LPV
ADS-B Out, RVSM Capable
Executive 6+2 Configuration
Aerowave Inflight Wifi
Based in Norway



Airframe

Serial Number	1669
Year of Make / Entry to Service	2016
Registration	LN-FOX
Certification	EASA
Total Airframe Hours	838
Landings	655
Location	Norway

Engine

Manufacturer	Pratt & Whitney
Type	PT6A-67P
Time Since New	838
Time Since Overhaul	N/A

Propeller

Manufacturer	Hartzell
Type	5 blade
Time Since New	838
Time Since Overhaul	N/A
Overhaul	In progress

Avionics


Standard	
Avionics Package	Honeywell Apex Primus
Optional	
EFIS	Co-Pilot PFD
Co-Pilot Audio Panel	Equipped
GPS	Second GPS
Synthetic Vision	Equipped
TCAS	TCAS I
TAWS	Class B
Transponder	Second Mode S Diversity
Stormscope	WX-500
WAAS / LPV	Equipped
Wireless CFD	Equipped
FMS	Second FMS
Iridium Antenna	Equipped
Electronic Checklist	Equipped
Coupled VNAV	Equipped
RVSM	Capable
HF Comm System	Equipped
ADS-B Out	Compliant

Additional Equipment

Honeywell Dual Chartlink	Air Conditioning
Logo Light	Pulsing Recognition light
Cockpit Footwarmer	Aerowave Inflight Wifi

Interior

Configuration	Executive 6+2
Year	2016
Seat Color	Light Beige leather
Galley	Forward refreshment center



Exterior

Paint Scheme	White Upper Fuselage with Grey Belly and a Blue Accent stripe
Year	2016



Maintenance

12/24 Month Inspections and Propeller Overhaul in progress.





















BEFORE TAKE-OFF AND
DURING TAKE-OFF AND
LANDING FRONT IS OCCUPIED

NEVER
SMOKE
OR
DRINK
ALCOHOL
IN
CABIN
OR
NEARBY
HEADS
OR
OXYGEN
MASKS











WARNING: NEVER OPERATE THE AIRCRAFT WITH THE ENGINE STARTER SWITCH SET TO 'START' OR 'INTERUPT' POSITION. ALWAYS SET THE SWITCH TO 'STOP' POSITION AFTER ENGINE START. ALWAYS WEAR YOUR SEATBELT AND FASTEN YOUR PASSENGER SEATBELTS. ALWAYS USE THE SAFETY PIN TO SECURE THE PASSENGER SEATBELT. ALWAYS USE THE SAFETY PIN TO SECURE THE PASSENGER SEATBELT. ALWAYS USE THE SAFETY PIN TO SECURE THE PASSENGER SEATBELT.

WARNING: NEVER OPERATE THE AIRCRAFT WITH THE ENGINE STARTER SWITCH SET TO 'START' OR 'INTERUPT' POSITION. ALWAYS SET THE SWITCH TO 'STOP' POSITION AFTER ENGINE START. ALWAYS WEAR YOUR SEATBELT AND FASTEN YOUR PASSENGER SEATBELTS. ALWAYS USE THE SAFETY PIN TO SECURE THE PASSENGER SEATBELT. ALWAYS USE THE SAFETY PIN TO SECURE THE PASSENGER SEATBELT. ALWAYS USE THE SAFETY PIN TO SECURE THE PASSENGER SEATBELT.



Olivier Knutti
Managing Director



+41 78 794 88 22



sales@the88k.com



www.the88k.com



88K AG
Baarerstrasse 88
6300 Zug
Switzerland



Notes

Specifications, descriptions, terms, and pricing are provided as introductory information only. Pricing are not guaranteed by 88K as they result from market research and may rely on third party sources. Interested parties should rely upon their own inspections and examinations of aircraft and their records. This introductory information is subject to changes and/or correction and does not constitute representations or warranties by 88K or its clients. This material does not represent a binding offering, and aircraft are subject to prior sale and/or withdrawal from the market at any time.